

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	legacy adj2 firmware	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:59
S2	3	("3891974"   "4077058"   "5388215").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:03
S3	19348	(stop\$4 terminat\$5 cancel\$4) adj3 (load\$3 boot\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 12:07
S4	22	S3 adj3 driver	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 12:07
S5	23	S3 adj3 (driver firmware)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 13:32
S6	1	legacy adj boot adj path	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 13:32
S7	6	legacy adj boot	US-PGPUB; USPAT.	OR	OFF	2004/11/08 13:40
S8	0	switch adj3 boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:41
S9	0	(switch\$3 chang\$3) adj3 boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:41
S10	0	(switch\$3 chang\$3) near5 boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:43
S11	1	(select\$3 choos\$3) near5 boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:55
S12	523	legacy adj (hardware device firmware)	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:56
S13	2367445	support\$3 load\$3 boot\$3	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:56
S14	33	S12 near3 S13	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:56
S15	11	"6081890"	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:59
S16	86	legacy near3 load\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:09
S17	1122	stop adj2 driver	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:10
S18	4	S17 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:17

S19	848	revert\$3 with (boot load)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:17
S20	161	revert\$3 near3 (boot load)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:17
S21	104	revert\$3 near2 (boot load)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:17
S22	4	S21.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:20
S23	25	legacy and "extensible firmware interface"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:23
S24	20	"5960445"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:23
S25	14	("5432927"   "5437018"   "5530943"   "5544356"   "5548338"   "5619250"   "5666530"   "5752042"   "5794054"   "5835760"   "5835761"   "5838981"   "5864698"   "5870520").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 15:04
S26	17	legacy adj bios	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 15:36
S27	3385137	old previous prior	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 15:36
S28	277	S27 near2 firmware	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 15:37
S29	17	S28.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 17:58
S30	7	"5835934"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 10:38

S31	49	("5937200" "5999730" "6233625" "5634075" "6081890" "6115813" "6128731" "6357003" "6408394" "6754828" "5933652" "5802350" "6360327" "6397242" "6466998" "6691195" "6067589" "6112164" "6360291" "5848294" "5724529" "5815731" "5926534" "6038624" "6163825" "6167463" "6170028" "6205141" "6249828" "6297817" "6334149" "6463530" "6477482" "6496847" "6546483" "6571206" "6711591" "6718401" "6760827" "5954812" "6219742" "6219742" "6587898" "6195689" "6466972" "6622244" "5931921" "5940626" "6016539" "6480914").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 10:53
S32	63	conflict\$3 near2 driver?	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 10:56
S33	4	S32 and "713"/\$.cccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 10:56
S34	125	conflict\$3 near3 driver?	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 10:56
S35	8	S34 and "713"/\$.cccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 10:56
S36	41	conflict\$3 near3 (firmware bios)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:46
S37	1099	load\$3 with (conflict\$5 problem\$4 error\$3) with (terminat\$3 quit\$3 cancel\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:48
S38	13	S37 and "713"/\$.cccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:50
S39	3522	(terminat\$4 quit\$4 cancel\$4 replac\$3) near2 (driver firmware)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:50
S40	939	(terminat\$4 quit\$4 cancel\$4 replac\$3) near2 (driver? firmware)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:51
S41	4065	(terminat\$4 quit\$4 cancel\$4 replac\$3) near2 (driver\$1 firmware)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:51
S42	192	S41 and "713"/\$.cccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:51

S43	5876	(terminat\$4 quit\$4 cancel\$4 replac\$3) near3 (driver\$1 firmware)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:52
S44	182	S43 with (old legacy older prior)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 13:52
S45	11	S44 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:18
S46	4968788	quit\$4 terminat\$ halt\$4 end\$1 ending edned	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:20
S47	4986026	quit\$4 terminat\$ halt\$4 end\$1 ending ended	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:22
S48	25242	S47 near4 (driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:25
S49	238	S48 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:25
S50	240	S48 same ((legacy old older prior previous) near3 driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:26
S51	7	S50 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:29
S52	23	support\$3 near3 (legacy old) near2 (firmware\$1 driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:34
S53	12900	(switch replace revert change) near2 (firmware driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:38
S54	95	S53 with (legacy old older previous)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:38
S55	9	S54 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:39
S61	25734	(switch replace revert change) near4 (firmware driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:41
S63	25734	(switch replace revert change) near4 (firmware driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:46
S66	20023	(switch replace revert change) near3 (firmware driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:46

S67	139	S66 with (legacy older old previous)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:48
S69	2432921	replac\$5 switch\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:48
S70	32372	S69 near4 (firmware driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:50
S71	6	S70 with legacy	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:51
S72	1688	legacy near2 (device\$1 component\$1 module\$1 firmware hardware driver\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:52
S73	234	(support\$3 run\$4) near3 S72	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:53
S74	7	S73.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:56
S75	1402	dynamic near3 (driver\$1 firmware)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:56
S76	154	S75.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:56
S77	60	S75 and "713"/\$.cccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:56
S78	9	S76 and "713"/\$.cccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 15:56
S79	126	different adj firmware	US-PGPUB; USPAT	OR	OFF	2004/11/09 17:02
S80	705	different adj drivers	US-PGPUB; USPAT	OR	OFF	2004/11/09 17:02
S81	1475	different adj driver\$1	US-PGPUB; USPAT	OR	OFF	2004/11/09 17:02
S82	590	S81 and 7\$.cccls.	US-PGPUB; USPAT	OR	OFF	2004/11/09 17:04
S83	50	(launch\$3 load\$3) near3 S81	US-PGPUB; USPAT	OR	OFF	2004/11/09 18:26
S84	679	"extensible firmware interface" efi	US-PGPUB; USPAT	OR	OFF	2004/11/09 18:31
S85	489	S84 and (switch replace change)	US-PGPUB; USPAT	OR	OFF	2004/11/09 18:31

S86	41	S85 and "713"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/09 18:31
S87	40	boot adj option	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:11
S88	14618	(switch\$3 replac\$4) near2 driver\$1	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:12
S89	227	S88 and "713"/\$	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:12
S90	146	S88 and "713"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:57
S91	5	S90 and legacy	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:37
S92	0	detect\$3 adj3 legacy adj (firmware driver\$1 boot\$)	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:37
S93	0	detect\$3 near legacy adj (firmware driver\$1 boot\$)	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:37
S94	0	detect\$3 near5 legacy adj (firmware driver\$1 boot\$)	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:38
S95	0	revert\$3 near5 legacy adj (firmware driver\$1 boot\$)	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:38
S96	41	boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:57
S97	2	boot adj path?	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:58
S98	1	different near3 boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:58
S99	0	new near3 boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/24 11:59
S10 0	1	(determin\$4 set\$4 choos\$3 select\$3 pick\$4) near3 boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/24 12:00
S10 1	1	(determin\$4 set\$4 choos\$3 select\$3 pick\$4 switch\$4 revert\$4) near3 boot adj path	US-PGPUB; USPAT	OR	OFF	2004/11/24 12:01
S10 2	3144	(determin\$4 set\$4 choos\$3 select\$3 pick\$4 switch\$4 revert\$4) near3 firmware	US-PGPUB; USPAT	OR	OFF	2004/11/24 12:01
S10 3	2465	(set\$4 choos\$3 select\$3 pick\$4 switch\$4 revert\$4) near3 firmware	US-PGPUB; USPAT	OR	OFF	2004/11/24 12:01
S10 4	1194	(choos\$3 select\$3 pick\$4 switch\$4 revert\$4) near3 firmware	US-PGPUB; USPAT	OR	OFF	2004/11/24 12:01
S10 5	109	S104 and "713"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/24 13:10
S10 6	1147	713/2.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/24 13:10
S10 7	56	S106 and legacy	US-PGPUB; USPAT	OR	OFF	2004/11/24 13:10

S108	1147	713/2.ccls.	US-PGPUB; USPAT	OR	OFF	2004/11/24 13:26
S109	20	S108 and "extensible firmware interface"	US-PGPUB; USPAT	OR	OFF	2004/11/24 13:26
S110	20	S108 and ("extensible firmware interface" or "efi")	US-PGPUB; USPAT	OR	OFF	2004/11/24 13:26
S111	9	("5155833"   "5301328"   "5408636"   "5671413"   "5809531"   "6073232"   "6282644"   "6401144"   "6539456").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/24 13:31
S112	1955558	separate	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 15:49
S113	41016	separat\$3 near\$5 path	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 15:50
S114	1157	713/2.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 15:50
S115	608	S114 and separat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 15:50
S116	4	S114 and S113	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 15:52
S117	4704252	separat\$3 distinct\$3 different\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 16:12
S118	276155	S117 with (firmware driver\$3 boot path\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 15:54
S119	400	S118 and 713/2.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 15:54
S120	76	S118.clm. and S114	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 15:54
S121	3454078	separat\$3 distinct\$3 different\$3 with (boot adj images)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/07 16:13
S122	15	(separat\$3 distinct\$3 different\$3) with (boot adj images)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 08:59
S123	1	legacy adj boot adj path	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 09:12
S124	0	legacyselect	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 09:12

S12 5	0	legacy adj select	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 09:56
S12 6	158	option adj rom	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 09:58
S12 7	31	S126.clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 09:56
S12 8	49	S126 and isa	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 10:00
S12 9	20	S126 and legacy	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 10:02
S13 0	8	S126 with legacy	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 10:04
S13 1	18	option adj rom with peripheral	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 10:08
S13 2	11	option adj rom same plug	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 10:08